EAST SEARCH

L Number	Hits	Search Text	DB	Mino stano
1			USPAT	Time stamp
	1	6408335.pn.		2004/09/28 11:22
2	1	540000	USPAT	2004/09/28 11:18
3	7	6408335.UREF.	USPAT	2004/09/28 13:35
-	1	20020169863.pn.	USPAT;	2004/09/22 15:12
			US-PGPUB	
-	17	JULEP	USPAT;	2004/09/17 08:45
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
	3047	709/223.ccls.	USPĀT;	2004/09/17 09:40
	3047	7057225.6615.	US-PGPUB;	2004/05/17 05.40
			EPO; JPO;	
			IBM_TDB	
-	140	709/223.ccls. and simulation	USPAT;	2004/09/17 09:24
			US-PGPUB;]
			EPO; JPO;	
			IBM TDB	
	4647	709/203.ccls.	USPĀT;	2004/09/17 09:32
	101/		US-PGPUB;	2501,05,1, 05.52
1			EPO; JPO;	[
	1			
		700/000	IBM_TDB	0004/05/55
-	252	709/223.ccls. and 709/203.ccls.	USPAT;	2004/09/17 09:32
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	892	709/232.ccls.	USPAT;	2004/09/17 09:40
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
_	75	709/203.ccls. and 709/232.ccls.	USPAT;	2004/09/17 09:40
	'3	7037203.ccis. and 7037232.ccis.	US-PGPUB;	2004/03/17 03:40
			1	
1			EPO; JPO;	
			IBM_TDB	0004/00/15 55 15
-	49	709/223.ccls. and 709/232.ccls.	USPAT;	2004/09/17 09:40
*			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
_	5	709/223.ccls. and 709/203.ccls. and	USPAT;	2004/09/17 09:42
		709/232.ccls.	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
_	367	709/223.ccls. and (control adj (point	USPAT;	2004/09/17 09:43
	30,	process program))	US-PGPUB;	2001,03,1,03.10
		Process Program,	EPO; JPO;	
			IBM TDB	
	120	700/222 colo and /control of /coint		2004/09/17 09:43
-	130	709/223.ccls. and (control adj (point	USPAT;	2004/09/1/ 09:43
		process program)) and (sync\$)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
_	35	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/17 10:20
		process program)) same (client server) and	US-PGPUB;	
		(sync\$)	EPO; JPO;	
			IBM TDB	
-	8	709/223.ccls. and "message broker"	USPAT;	2004/09/17 09:45
		l line in the line	US-PGPUB;	
			EPO; JPO;	
			1	
	210	(corrigo add margaret) come (11)	IBM_TDB	2004/00/17 10:12
-	219	'	USPAT;	2004/09/17 10:13
		and (sync\$)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	19	1 ,	USPAT;	2004/09/17 10:13
		and (sync\$) and 709/223.ccls.	US-PGPUB;	
		_	EPO; JPO;	
			IBM TDB	
-	7	709/223.ccls. and (simulation with sync\$)	USPAT;	2004/09/17 10:22
	'	Sylical and (Simulation with Sylical)	US-PGPUB;	1 2001,00,11 10.22
	1			
			EPO; JPO;	
L	1 .		IBM_TDB	

_	3035	"between" near3 (server adj client)	USPAT; US-PGPUB;	2004/09/17 10:23
			EPO; JPO; IBM TDB	
_	7	application adj "between" near3 (server	USPAT;	2004/09/17 10:25
	'	adj client)	US-PGPUB;	2004/09/17 10:25
		adj cirency	EPO; JPO;	
			IBM TDB	
-	66	messages adj "between" near3 (server adj	USPAT;	2004/09/20 11:02
		client)	US-PGPUB;	
			EPO; JPO;	
		<u>.</u>	IBM_TDB	
-	14	, , ,	USPAT;	2004/09/17 14:26
		US-5740028-\$ or US-6338081-\$ or US-6430614-\$ or US-6473794-\$ or	US-PGPUB	
		US-6463454-\$ or US-6611498-\$ or		· ·
]	US-6668275-\$ or US-6061741-\$ or		
		US-6101542-\$ or US-6330582-\$).did. or		
		(US-20020169863-\$ or		
		US-20020099854-\$).did.		
-	6	((US-6519636-\$ or US-5579384-\$ or	USPAT;	2004/09/17 14:27
		US-5740028-\$ or US-6338081-\$ or	US-PGPUB	
		US-6430614-\$ or US-6473794-\$ or		
		US-6463454-\$ or US-6611498-\$ or		
		US-6668275-\$ or US-6061741-\$ or US-6101542-\$ or US-6330582-\$).did. or		
		(US-20020169863-\$ or		
1		US-20020099854-\$).did.) and ((time adj		
		stamp) timestamp)		
-	709	order with timestamp	USPAT;	2004/09/20 11:04
	1		US-PGPUB;	1
			EPO; JPO;	
	307	(gort order) with timestant	IBM_TDB	2004/00/20 11:04
-	727	(sort order) with timestamp	USPAT; US-PGPUB;	2004/09/20 11:04
			EPO; JPO;	
	1		IBM TDB	
_	2348	(sort order) with (timestamp (time adj	USPAT;	2004/09/20 11:04
		stamp))	US-PGPUB;	
		·	EPO; JPO;	
	100		IBM_TDB	2004/00/20 31 05
_	103	(sort order) with (timestamp (time adj	USPAT;	2004/09/20 11:05
		stamp)) with queue	US-PGPUB; EPO; JPO;	
	1		IBM TDB	
-	6	(sort order) with (timestamp (time adj	USPĀT;	2004/09/20 11:05
		stamp)) with server with process	US-PGPUB;	
			EPO; JPO;	•
			IBM_TDB	
-	3		USPAT;	2004/09/20 13:18
		stamp)) with queue with server	US-PGPUB;	
			EPO; JPO; IBM TDB	
_	8052	(finish\$4 terminat\$4 end\$4) adj messag\$4	USPAT;	2004/09/20 13:20
		(22120171 colminate 1 endy 1/ adj messagy 4	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	219	(finish\$4 terminat\$4 end\$4) adj messag\$4	USPĀT;	2004/09/20 13:21
		with sync\$	US-PGPUB;	
			EPO; JPO;	
_	224	(completed finished terminated anded)	IBM_TDB	2004/00/20 12:02
-	. 224	(completed finish\$4 terminat\$4 end\$4) adj messag\$4 with sync\$	USPAT; US-PGPUB;	2004/09/20 13:23
		meddagyt with sylley	EPO; JPO;	ļ
			IBM TDB	
_	11	(completed finish\$4 terminat\$4 end\$4) adj	USPĀT;	2004/09/20 13:34
		messag\$4 with sync\$ with process	US-PGPUB;	
			EPO; JPO;	
	l		IBM TDB	<u></u>

-	0	hold adj messag\$4 with sync\$ with	USPAT;	2004/09/20 13:39
		(completed finish\$4 terminat\$4 end\$4)	US-PGPUB; EPO; JPO;	
			IBM TDB	
-	4	hold adj messag\$4 with sync\$	USPAT;	2004/09/20 13:38
			US-PGPUB;	
			EPO; JPO;	
_	59	hold adj messag\$4 with (completed finish\$4	IBM_TDB USPAT;	2004/09/20 13:40
		terminat\$4 end\$4)	US-PGPUB;	
			EPO; JPO;	•
	,	CE2200E	IBM_TDB USPAT;	2004/09/22 15:13
	1	6522995.pn.	US-PGPUB	2004/09/22 15:13
-	3	(("6522995" "5974572" "6601020" "6324492"	USPAT;	2004/09/22 15:22
		"6443832" "6167534" "6754701" "6772107"	US-PGPUB	
		"6721686" "6532237" "6408335" "6564342" "6041041" "5881269" "5907696").pn.) and		
		((client with server) same simulation)		
_	3	(("6522995" "5974572" "6601020" "6324492"	USPAT;	2004/09/22 15:25
		"6443832" "6167534" "6754701" "6772107"	US-PGPUB	
		"6721686" "6532237" "6408335" "6564342" "6041041" "5881269" "5907696").pn.) and		
		((client with server) and repeatable)		
-	15	("6522995" "5974572" "6601020" "6324492"	USPAT;	2004/09/22 15:24
		"6443832" "6167534" "6754701" "6772107"	US-PGPUB	
		"6721686" "6532237" "6408335" "6564342" "6041041" "5881269" "5907696").pn.		
_	8	(("6522995" "5974572" "6601020" "6324492"	USPAT;	2004/09/22 16:11
		"6443832" "6167534" "6754701" "6772107"	US-PGPUB	
		"6721686" "6532237" "6408335" "6564342"		
		"6041041" "5881269" "5907696").pn.) and ((client with server) and repeat\$4)		
_	96		USPAT;	2004/09/22 15:38
		memory) same (client same server))	US-PGPUB	
_	96	((secondary adj memory) same (client same	USPAT;	2004/09/22 15:38
_	4	server)) ((secondary adj memory) same (client same	US-PGPUB USPAT;	2004/09/22 15:38
		server)) and simulat\$5	US-PGPUB	
- '	4	((secondary adj memory) same (client same	USPAT;	2004/09/22 15:40
	97	server)) and simulat\$5 ((secondary adj memory) and (client same	US-PGPUB USPAT;	2004/09/22 15:40
		server)) and simulat\$5	US-PGPUB	2004/03/22 13.40
-	92	((secondary adj memory) and (client with	USPAT;	2004/09/22 15:41
	61	server)) and simulat\$5	US-PGPUB	2004/09/22 15:41
-	61	((secondary adj memory) and (client with server)) and simulat\$5 and message	USPAT; US-PGPUB	2004/09/22 15:41
_	42	((secondary adj memory) and (client with	USPAT;	2004/09/22 15:44
		server)) and simulat\$5 and message and	US-PGPUB	
_	8	((input near output) IO I/O) (("6522995" "5974572" "6601020" "6324492"	USPAT;	2004/09/23 10:13
		"6443832" "6167534" "6754701" "6772107"	US-PGPUB	2004/03/23 10:13
		"6721686" "6532237" "6408335" "6564342"		
		"6041041" "5881269" "5907696").pn.) and		
		((client with server) and repeat\$4) and memory		
_	5	(("6522995" "5974572" "6601020" "6324492"	USPAT;	2004/09/23 11:22
		"6443832" "6167534" "6754701" "6772107"	US-PGPUB	
		"6721686" "6532237" "6408335" "6564342"		
		"6041041" "5881269" "5907696").pn.) and (sync\$)		
-	24783	702/\$.ccls.	USPAT;	2004/09/23 10:35
			US-PGPUB	
-	6594	703/\$.ccls.	USPAT;	2004/09/23 10:35
-	655	702/\$.ccls. and 703/\$.ccls.	US-PGPUB USPAT;	2004/09/23 10:35
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB	2004/05/25 10.55
-	379	(702/\$.ccls. and 703/\$.ccls.) and simulat\$	USPAT;	2004/09/23 10:35
	63	/700/0 221- 221 700/0 1 1 1 2 2 2	US-PGPUB	2004/00/02 10 25
-	67	(702/\$.ccls. and 703/\$.ccls.) and simulat\$ and sync\$	USPAT; US-PGPUB	2004/09/23 10:36
		I and sylley	T 22 1210D	<u> </u>

-	9	(702/\$.ccls. and 703/\$.ccls.) and simulat\$	USPAT;	2004/09/23 10:36
		and sync\$ and (client server)	US-PGPUB	
-	10	(702/\$.ccls. and 703/\$.ccls.) and simulat\$	USPAT;	2004/09/23 10:36
		and sync\$ and (client server)	US-PGPUB	
-	4	(("6522995" "5974572" "6601020" "6324492"	USPAT;	2004/09/23 12:44
		"6443832" "6167534" "6754701" "6772107"	US-PGPUB	
		"6721686" "6532237" "6408335" "6564342"		
		"6041041" "5881269" "5907696").pn.) and		
		(queue)		
-	110	(predetermined adj order) with (queue)	USPAT;	2004/09/23 12:44
			US-PGPUB	
-	40	(predetermined adj order) with (queue) and	USPAT;	2004/09/23 13:50
	1	(sync\$ simulat\$) and (computer server	US-PGPUB	
· ·		client network)		
-	47	(predetermined adj order) with (queue) and	USPAT;	2004/09/23 13:51
	•	(sync\$ simulat\$)	US-PGPUB	
-	0	(predetermined adj order) with (queue) and	USPAT;	2004/09/23 13:51
		(server near queue) and (client near	US-PGPUB	
		queue)		
_	39	(order\$4 with queue) and (server near	USPAT;	2004/09/23 14:10
		queue) and (client near queue)	US-PGPUB	
_	8	(ordered with queue) and (server near	USPAT;	2004/09/23 14:27
		queue) and (client near queue)	US-PGPUB	
_	0	"plurality of queues"	USPAT;	2004/09/23 14:28
			US-PGPUB	
-	1217	plurality adj queues	USPAT;	2004/09/23 14:28
			US-PGPUB	
_	4	(plurality adj queues) and (server near	USPAT;	2004/09/23 14:33
		queue) and (client near queue)	US-PGPUB	
_	61	(plurality adj queues) and ((server near	USPAT;	2004/09/23 14:35
		queue) (client near queue))	US-PGPUB	
_	14	(plurality adj queues) and ((client near	USPAT;	2004/09/23 14:35
		queue))	US-PGPUB	
-	1	6330582.pn.	USPAT	2004/09/23 15:13